UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/650,538	08/28/2003	Gary A. Diehl	ROC920030133USI	9039	
Grant A. Johnso	7590 01/08/2009 On	EXAMINER			
IBM Corporation	on-Dept. 917	CHRISTENSEN, SCOTT B			
3605 Highway 52 North Rochester, MN 55901			. ART UNIT	PAPER NUMBER	
				2144	
			MAIL DATE	DELIVERY MODE	
			01/08/2008	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

. •			4		
		Application No.	Applicant(s)		
		10/650,538	DIEHL ET AL.		
	Office Action Summary	Examiner	Art Unit		
		Scott Christensen	2144		
Period fo	The MAILING DATE of this communication apports. The MAILING DATE of this communication apports.	pears on the cover sheet with t	he correspondence address		
A SH WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING Donsions of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. Operiod for reply is specified above, the maximum statutory period of the toreply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICAT (36(a)). In no event, however, may a reply will apply and will expire SIX (6) MONTHS (6), cause the application to become ABAND	FION. be timely filed from the mailing date of this communication. DONED (35 U.S.C. § 133).		
Status			•		
1)⊠	Responsive to communication(s) filed on 23 N	lovember 2007.			
2a) <u></u> □	This action is FINAL . 2b)⊠ This action is non-final.				
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
	closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 1	1, 453 O.G. 213.		
Disposit	ion of Claims				
4)⊠	Claim(s) 1-4 and 7-18 is/are pending in the ap	plication.			
	4a) Of the above claim(s) is/are withdra	wn from consideration.			
5)	Claim(s) is/are allowed.				
·	Claim(s) <u>1-4 and 7-18</u> is/are rejected.		•		
·	Claim(s) is/are objected to.				
8)[_]	Claim(s) are subject to restriction and/c	or election requirement.			
Applicat	ion Papers				
9)[The specification is objected to by the Examine	er.			
10)	The drawing(s) filed on is/are: a) acc				
	Applicant may not request that any objection to the				
11)	Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex				
,	under 35 U.S.C. § 119				
•	•	nriority under 25 H C C & 41	10(a) (d) or (f)		
	Acknowledgment is made of a claim for foreign All b) Some * c) None of:	i priority under 35 U.S.C. § 11			
u,	1. Certified copies of the priority document	ts have been received.			
	2. Certified copies of the priority document		lication No		
	3. Copies of the certified copies of the prior	ority documents have been red	ceived in this National Stage		
	application from the International Burea	u (PCT Rule 17.2(a)).	•		
* (See the attached detailed Office action for a list	t of the certified copies not rec	eived.		
Attachmer		" .	(DTO 442)		
	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948)		lail Date		
3) Infor	mation Disclosure Statement(s) (PTO/SB/08) er No(s)/Mail Date	5) Notice of Information (6) Other:	mal Patent Application		

DETAILED ACTION

1. This Office Action is in regards to the most recent papers filed on 11/23/2007.

Claim Rejections - 35 USC § 112

- 2. The following is a quotation of the first paragraph of 35 U.S.C. 112:
 - The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
- 3. Claims 15-17 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

Page 7, lines 28-33 of the instant specification describes the computer program product as including a computer recording medium, meanwhile claim 15 describes the computer recording medium as storing the computer program product. The instant claim should be amended to reflect Applicant's disclosure. Applicant is invited to schedule an interview with the Examiner to discuss amendments to overcome this rejection and the rejection under 35 USC 101 below. Claims 16-17, which depend from claim 15, are rejected for the same.

Claim Rejections - 35 USC § 101

4. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

5. Claims 15-17 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

Page 7, lines 28-33 of the instant specification describes the computer recording medium as being "a floppy disk, a high capacity read only memory in the form of an optically read compact disk or CD-ROM, a tape, a transmission type media such as digital or analog communication link, or a similar computer program product."

Therefore, the computer recording medium of claim 15 may include the digital or analog communication link and other transmission type media, which is non-statutory.

Applicant is invited to schedule an interview with the Examiner to discuss amendments to overcome this and the rejection under 35 USC 112 above. Claims 16-17 are rejected for similar reasons as claim 15.

Claim Rejections - 35 USC § 103

- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. Claims 1-4 and 7-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lee in US Patent number 7,088,689 B2, hereafter referred to as "Lee" in view of

Kirchner et al in US Patent number 6,263,370 B1, hereafter referred to as "Kirchner," and Smyk in US Patent number 6,289,001 B1, hereafter referred to as "Smyk."

With regard to claim 1, Lee discloses a method for implementing proxy Address Resolution for Virtual Internet Protocol addresses comprising the steps of:

identifying a Virtual Internet Protocol interface requiring proxy ARP (Lee: Column 2, lines 19-26. If data is transferred between two VLANs (VLANs have virtual IP addresses associated with the nodes), then a Virtual Internet Protocol interface requiring proxy ARP is identified);

dynamically selecting a proxy agent for said Virtual Internet Protocol interface (Lee: Column 2, lines 45-54), adding an IP address for said Virtual Internet Protocol interface to an address list of an associated physical adapter for said selected proxy agent (Lee: Column 3, lines 34-41);

and utilizing said associated physical adapter for said selected proxy agent and broadcasting said added IP address for said Virtual Internet Protocol interface with a media access control address of said physical adapter for said selected proxy agent (Lee: Column 2, lines 45-53. The ARP request packet contains both the IP address, which is a Virtual IP address in this case, and the MAC address. This packet is broadcast to all nodes in the local subnet.).

Lee does not disclose expressly that the proxy agent and Virtual Internet protocol interface are in a same subnet. Lee also does not disclose expressly that responsive to failure of said selected proxy agent, dynamically selecting a new proxy agent is for said

10/650,538 Art Unit: 2144

Virtual Internet protocol interface by TCP/IP code. Lee also does not disclose expressly the step of dynamically selecting said proxy agent for said Virtual Internet protocol interface includes providing TCP/IP code for dynamically selecting said proxy agent.

It is noted that subnet is not explicitly defined in the applicant's specification. Therefore, the term subnet may be interpreted as being a subnet as defined by RFC 917, "Internet Standard Subnetting Procedure," by Jeffrey Mogul in October of 1984, hereafter referred to as "RFC917." Therefore a person of ordinary skill in the art would have known how to have the proxy agent and Virtual Internet protocol interface in the same subnet.

Evidence of this can be found in RFC917. RFC917 discloses that a subnet is a logically visible sub-section of a single Internet network. This allows an organization to have a single connection to the Internet with one IP address for their entire network (RFC917: Page 1, Overview). When applied to Lee, all the components in the invention of Lee would be in the same subnet, as a single organization would likely be implementing the invention within their network.

It would have been obvious to a person of ordinary skill in the art to have the proxy agent and Virtual Internet protocol interface in the same subnet.

The suggestion/motivation would have been that organizations using subnets can use one number for several networks (RFC917: Overview). By implementing Lee's system on a single subnet, the nodes of the network would have a more direct communication line with each other, but still have access to the Internet.

10/650,538 Art Unit: 2144

Kirchner discloses using a TCP/IP interface for a client-server interface, where the server acts as a proxy (Kirchner: Column 10, lines 22-43). If TCP/IP were used with Lee, any selection would involve code written to conform to the TCP/IP standard.

It would have been obvious to a person of ordinary skill in the art to combine TCP/IP of Kirchner with the proxy Address Resolution Protocol of Lee.

The suggestion/motivation for doing so would have been that TCP/IP was a very well known protocol, used in many networks and the Internet. By using TCP/IP, the proxy Address Resolution protocol would be compatible with more networks.

Smyk discloses a proxy agent selector that identifies alternate proxy agents should one or more of the other proxy agents fail and selects one or more alternate proxy agents (Smyk: Abstract).

It would have been obvious to a person of ordinary skill in the art to combine the proxy selector of Smyk with the proxy Address Resolution Protocol of Lee as modified by Kirchner.

The suggestion/motivation for doing so would have been to allow proxy signaling to continue undisturbed in case of a failure (Smyk: Abstract).

A person of ordinary skill in the art would have known how to check for a proxy agent in the same subnet as said Virtual Internet protocol (IP) interface.

It would have been obvious to a person of ordinary skill in the art to check for a proxy agent in the same subnet as said Virtual Internet protocol (IP) interface.

The suggestion/motivation for doing so would have been that the instant claim does not require that only the subnet is checked for a proxy agent. Therefore, a method

10/650,538

Art Unit: 2144

that searches both in the same subnet and outside the subnet would meet this claim limitation. It is noted that Lee does not explicitly state that the subnet that the interface resides in is not searched. By checking within the same subnet, a proxy agent that is closer to the interface could possibly be found, thereby reducing the overall delay in communications and the burden on the network as a whole.

With regard to claim 2, Lee as modified by Kirchner and Smyk teaches identifying a broadcast ARP response for said Virtual Internet protocol interface (Lee: Abstract. The term "input/output processor response handler task" seems to simply identify the means that are utilized to identify a broadcast ARP response. Also, since a response occurs, it must have been identified), and continuing activation for said Virtual Internet protocol interface including enqueuing said Virtual Internet protocol interface to a proxy list of said selected proxy agents (Lee: Column 3, line 66 to column 4, line 12).

With regard to claim 3, Lee as modified by Kirchner and Smyk teaches setting an associated local IP address of said selected proxy agent in said Virtual Internet protocol interface (This limitation is inherently present. The agent needs to have a local IP address in order to receive any packets, so the address must be set. "To complete activation for said Virtual Internet protocol (IP) interface," as recited in claim 15, is interpreted as intended use, and is not given weight).

10/650,538 Art Unit: 2144

With regard to claim 4, Lee as modified by Kirchner and Smyk teaches that the step of dynamically selecting said proxy agent for said Virtual Internet protocol interface includes providing TCP/IP code for dynamically selecting said proxy agent (Kirchner: Column 10, lines 22-43. When Kirchner is combined with Lee, as in the rejection of claim 1 above, the communications would be performed through TCP/IP, meaning code involving TCP/IP would be utilized to find and assign the proxy agent. Thus, TCP/IP code is provided for dynamically selecting said proxy agent.)

With regard to claim 7, Lee as modified by Kirchner and Smyk teaches that the step of dynamically selecting said proxy agent for said Virtual Internet protocol interface includes answering ARP requests for Virtual Internet protocol addresses (Lee: Abstract) with Transmission Control Protocol/Internet Protocol code for said selected proxy agent for said Virtual Internet protocol interface (Kirchner: Column 10, lines 22-43. As the combination of references as applied to claim 1 above uses TCP/IP, any response to a message would involve TCP/IP messages, which would be in a code conforming to TCP/IP.).

With regard to claim 8, Lee discloses an apparatus for implementing proxy Address Resolution Protocol for Virtual Internet protocol addresses comprising:

a local network (Lee: Fig. 2, VLAN 1 and VLAN 2. Virtual Local Area Networks are interpreted as being similar to the local network as specified in the claim);

10/650,538 Art Unit: 2144

a server computer having a Virtual Internet protocol code for dynamically selecting a proxy agent for said Virtual Internet protocol interface (Lee: Column 2, lines 45-54);

code for dynamically selecting a proxy agent for said Virtual internet protocol interface (Lee: Column 2, lines 45-54);

and a proxy ARP (Lee: Abstract) for Virtual AP interface initiation task for adding an IP address for said Virtual Internet protocol interface to an address list of an associated one of said physical adapters for said selected proxy agent (Lee: Column 3, lines 34-41) and for utilizing said physical adapter for said selected proxy agent for broadcasting said added IP address for said Virtual Internet protocol interface with a media access control address of said physical adapter for said selected proxy agent (Lee: Column 2, lines 45-53. The ARP request packet contains both the IP address, which is a Virtual IP address in this case, and the MAC address. This packet is broadcast to all nodes in the local subnet.).

Lee does not disclose expressly that the code for selecting a proxy agent is within the TCP/IP standard. Lee also does not disclose expressly that responsive to failure of said selected proxy agent, dynamically selecting a new proxy agent is for said Virtual Internet protocol interface by TCP/IP code. Lee also does not disclose expressly the step of dynamically selecting said proxy agent for said Virtual Internet protocol interface includes providing TCP/IP code for dynamically selecting said proxy agent.

Kirchner discloses using a TCP/IP interface for a client-server interface, where the server acts as a proxy (Kirchner: Column 10, lines 22-43).

10/650,538 Art Unit: 2144

It would have been obvious to a person of ordinary skill in the art to combine TCP/IP of Kirchner with the proxy Address Resolution Protocol of Lee.

The suggestion/motivation for doing so would have been that TCP/IP was a very well known protocol, used in many networks and the Internet. By using TCP/IP, the proxy Address Resolution protocol would be compatible with more networks.

Kirchner discloses using a TCP/IP interface for a client-server interface, where the server acts as a proxy (Kirchner: Column 10, lines 22-43). If TCP/IP were used with Lee, any selection would involve code written to conform to the TCP/IP standard.

It would have been obvious to a person of ordinary skill in the art to combine TCP/IP of Kirchner with the proxy Address Resolution Protocol of Lee.

The suggestion/motivation for doing so would have been that TCP/IP was a very well known protocol, used in many networks and the Internet. By using TCP/IP, the proxy Address Resolution protocol would be compatible with more networks.

Smyk discloses a proxy agent selector that identifies alternate proxy agents should one or more of the other proxy agents fail and selects one or more alternate proxy agents (Smyk: Abstract).

It would have been obvious to a person of ordinary skill in the art to combine the proxy selector of Smyk with the proxy Address Resolution Protocol of Lee as modified by Kirchner.

The suggestion/motivation for doing so would have been to allow proxy signaling to continue undisturbed in case of a failure (Smyk: Abstract).

10/650,538 Art Unit: 2144

A person of ordinary skill in the art would have known how to check for a proxy agent in the same subnet as said Virtual Internet protocol (IP) interface.

It would have been obvious to a person of ordinary skill in the art to check for a proxy agent in the same subnet as said Virtual Internet protocol (IP) interface.

The suggestion/motivation for doing so would have been that the instant claim does not require that only the subnet is checked for a proxy agent. Therefore, a method that searches both in the same subnet and outside the subnet would meet this claim limitation. It is noted that Lee does not explicitly state that the subnet that the interface resides in is not searched. By checking within the same subnet, a proxy agent that is closer to the interface could possibly be found, thereby reducing the overall delay in communications and the burden on the network as a whole.

With regard to claim 9, Lee as modified by Kirchner and Smyk teaches the invention as substantially claimed except that the TCP/IP code is responsive to a failure of said physical adapter for said selected proxy agent, for dynamically selecting a new proxy agent for said Virtual Internet protocol interface.

Smyk discloses a proxy agent selector that identifies alternate proxy agents should one or more of the other proxy agents fail and selects one or more alternate proxy agents (Smyk: Abstract).

It would have been obvious to a person of ordinary skill in the art to combine the proxy selector of Smyk with the proxy Address Resolution Protocol of Lee as modified by Kirchner.

10/650,538 Art Unit: 2144

The suggestion/motivation for doing so would have been to allow proxy signaling to continue undisturbed in case of a failure (Smyk: Abstract).

With regard to claim 10, Lee as modified by Kirchner and Smyk teaches that the TCP/IP code answers ARP requests to said Virtual Internet protocol address (Lee: Abstract), said ARP requests being provided without a parameter defining an associated local interface being specified with said ARP requests to said Virtual Internet protocol address (Lee: Column 4, lines 13-26. The virtual ARP request does not identify the local interface that the ARP request is actually for, but rather identifies the proxy ARP server.).

With regard to claim 11, Lee as modified by Kirchner and Smyk teaches an input/output processor response handler task for identifying a broadcast ARP response for said Virtual Internet protocol interface (Lee: Abstract. The term "input/output processor response handler task" seems to simply identify the means that are utilized to identify a broadcast ARP response. Also, since a response occurs, it must have been identified), and for continuing activation for said Virtual Internet protocol interface including enqueuing said Virtual Internet protocol interface to a proxy list of said selected proxy agent (Lee: Column 3, line 66 to column 4, line 12).

With regard to claim 12, Lee as modified by Kirchner and Smyk teaches that the IOP response handler task is adapted for setting an associated local IP address of said

10/650,538 Art Unit: 2144

selected proxy agent in said Virtual Internet protocol interface to complete activation for said Virtual Internet protocol interface (Lee: Column 3, lines 34 to 47. As the IP address is stored in the memory, the IP address associated with the given MAC address was set, at least in the memory. When the memory is set with the IP address, for all purposes, activation of the Virtual IP interface is completed, at least with respect to the server).

With regard to claims 13-17, the invention claimed is substantially similar to that claimed in claims 1-4 and 9, respectively, and are rejected for substantially similar reasons.

With regard to claim 18, Lee as modified by Kirchner and Smyk teaches that the TCP/IP code (Since the code running the program is written to utilize TCP/IP, it is interpreted as being TCP/IP code) utilizes said physical adapter for said selected proxy agent for answering ARP requests to said Virtual Internet protocol address (Lee: Abstract. As the proxy ARP server (or agent) sends a packet in response to receiving the ARP request packet, the response must utilize the physical adapter of the agent in order to reach the network.), said ARP requests being provided without a parameter defining an associated local interface being specified with said ARP requests to said Virtual Internet protocol address (Lee: Column 4, lines 13-26. The virtual ARP request does not identify the local interface that the ARP request is actually for, but rather identifies the proxy ARP server.).

Response to Arguments and Amendments

Objections to the Claims

8. Applicant's amendments to claims 1, 8, and 13 have overcome the applied objections to the claims.

Rejections under 35 USC 112

9. Applicant's amendment to claim 13 have not overcome the applied rejection under 35 USC 112 1st paragraph for the reasons in the above rejection.

Rejections under 35 USC 103

10. Applicant's arguments filed 11/23/2007 have been fully considered but they are not persuasive.

Applicant argues with respect to features that certain functionality is not present in the instant claims in the paragraph joining pages 12-13 and 14-15 in Applicant's Remarks, such as the problem overcome by the invention, the direct routing configuration that allows the iSeries server to answer ARP requests, and the "Proxy ARP Yes/No" option. Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

10/650,538 Art Unit: 2144

On page 13, Applicant argues the definition of the term "subnet." However, it is noted that the definition is not contained within the specification, and the term subnet was addressed under RFC917, which is an accepted meaning of the term "subnet." Applicant has provided no support in the specification for the proposed definition of the term "subnet" appearing on page 13 of Applicant's remarks, and has provided no argument to invalidate the definition provided by RFC917.

On page 16 of Applicant's Remarks, Applicant argues that in the instant claims, the proxy agent is dynamically selected by the TCP/IP stack code. However, it is noted that the instant claims only mention TCP/IP code, not "TCP/IP stack code." TCP/IP code is interpreted as being any code that supports TCP/IP. The mere presence of TCP/IP in a system that somehow is capable of interacting with code means that the code is TCP/IP code, as required by the instant claims. If Applicant intends for the selection to be performed by TCP/IP stack code, the instant claims should be amended to reflect as such in a fashion consistent with the specification.

The remaining arguments presented by Applicant appear to broadly allege that certain features are not present in one or more references, without any support for the argument (see, for example, 15 of Applicant's remarks). These features have been addressed in the rejection above under 35 USC 103.

10/650,538 Art Unit: 2144

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Scott Christensen whose telephone number is (571) 270-1144. The examiner can normally be reached on Monday through Thursday 6:30AM - 4:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vaughn William can be reached on (571) 272-3922. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

SBC

UPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100